

3. A random variable X has the distribution $B(12, p)$.

(a) Given that $p = 0.25$ find

(i) $P(X < 5)$

(ii) $P(X \geq 7)$

(3)

(b) Given that $P(X = 0) = 0.05$, find the value of p to 3 decimal places.

(3)

(c) Given that the variance of X is 1.92, find the possible values of p .

(4)



Question 3 continued

Lined writing area for the answer to Question 3.

Q3

Grade mark boxes for Question 3.

(Total 10 marks)



4. The continuous random variable X is uniformly distributed over the interval $[-4, 6]$.

(a) Write down the mean of X . **(1)**

(b) Find $P(X \leq 2.4)$ **(2)**

(c) Find $P(-3 < X - 5 < 3)$ **(2)**

The continuous random variable Y is uniformly distributed over the interval $[a, 4a]$.

(d) Use integration to show that $E(Y^2) = 7a^2$ **(4)**

(e) Find $\text{Var}(Y)$. **(2)**

(f) Given that $P(X < \frac{8}{3}) = P(Y < \frac{8}{3})$, find the value of a . **(3)**



5. The continuous random variable T is used to model the number of days, t , a mosquito survives after hatching.

The probability that the mosquito survives for more than t days is

$$\frac{225}{(t+15)^2}, \quad t \geq 0$$

- (a) Show that the cumulative distribution function of T is given by

$$F(t) = \begin{cases} 1 - \frac{225}{(t+15)^2} & t \geq 0 \\ 0 & \text{otherwise} \end{cases} \quad (1)$$

- (b) Find the probability that a randomly selected mosquito will die within 3 days of hatching. (2)
- (c) Given that a mosquito survives for 3 days, find the probability that it will survive for at least 5 more days. (3)

A large number of mosquitoes hatch on the same day.

- (d) Find the number of days after which only 10% of these mosquitoes are expected to survive. (4)



Question 5 continued

Lined area for writing the answer to Question 5 continued. It consists of 24 horizontal lines.

Q5

Two empty boxes for marking the question.

(Total 10 marks)



6. (a) Explain what you understand by a hypothesis. (1)

(b) Explain what you understand by a critical region. (2)

Mrs George claims that 45% of voters would vote for her.

In an opinion poll of 20 randomly selected voters it was found that 5 would vote for her.

(c) Test at the 5% level of significance whether or not the opinion poll provides evidence to support Mrs George's claim. (4)

In a second opinion poll of n randomly selected people it was found that no one would vote for Mrs George.

(d) Using a 1% level of significance, find the smallest value of n for which the hypothesis $H_0 : p = 0.45$ will be rejected in favour of $H_1 : p < 0.45$ (3)



7. The continuous random variable X has the following probability density function

$$f(x) = \begin{cases} a + bx & 0 \leq x \leq 5 \\ 0 & \text{otherwise} \end{cases}$$

where a and b are constants.

(a) Show that $10a + 25b = 2$ (4)

Given that $E(X) = \frac{35}{12}$

(b) find a second equation in a and b , (3)

(c) hence find the value of a and the value of b . (3)

(d) Find, to 3 significant figures, the median of X . (3)

(e) Comment on the skewness. Give a reason for your answer. (2)



Leave
blank

Question 7 continued

Blank lined area for writing the answer to Question 7.

Q7

(Total 15 marks)

TOTAL FOR PAPER: 75 MARKS

END

