

Mark Scheme (Result)

October 2020

Pearson Edexcel GCE In AS Level Mathematics 8MA0 Paper 21 Statistics

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <u>www.edexcel.com</u> or <u>www.btec.co.uk</u>. Alternatively, you can get in touch with us using the details on our contact us page at <u>www.edexcel.com/contactus</u>.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

October 2020 Publications Code 8MA0_21_2010_MS All the material in this publication is copyright © Pearson Education Ltd 2020

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question		Scheme	Marks	AOs
1		1 square is $\frac{78}{12 \times 3 + 3 \times 4 + 2 \times 2} = \left[\frac{78}{52} = 1.5\right]$ and $(8 \times 1 + 1 \times 8) \times "1.5"$	M1	3.1a
		24 students took less than 11 minutes	A1	1.1b
		Percentage of students = $\frac{"24"}{78 + "24" + 1 \times 8 \times "1.5" + 3 \times 4 \times "1.5"} \times 100$	M1	3.1b
		= 18.18 awrt 18%	A1	1.1b
			(4)	
Total 4				
		Notes		
1	 M1: For clear use of frequency density to establish the fd scale and then use the area to find frequency of <11 minutes. Allow maximum of 3 errors in either the heights or widths total if working shown. They may calculate the area using other size squares. Allow for realising they need to find the total number of squares (88) maximum of 4 e in either the heights or widths and number < 11 minutes(16) - must have a maximum error in either the heights or widths (and not use the 78 as part of calulation). 			nd s in errors n of 1
	A1:	For correct values seen. Allow for 88 and 16		
	M1: For realising the need to find the total and calculating a percentage. (with "their 24" a numerator). Allow $(8 \times 1 + 2 \times 8) \times "1.5"$ instead of "24"+1×8×"1.5" If working shown allow maximum of 2 errors in either the heights or widths in the calculation of the tota Allow "their 24" / 132 oe			' as the wn can tal.
	A1:	awrt 18		

www.yesterdaysmathsexam.com

Question		Scheme	Marks	AOs
2(a)		0 to 500 m	B1	1.2
			(1)	
	(b)	$1100 + 1600 + 1.5 \times 1600 = 5100$	M1	2.1
		5300 > 5100 therefore outlier	A1	1.1b
			(2)	
	(c)	As the humidity increases the mean visibility decreases	B1	2.4
			(1)	
	(d)	(Hours of) sunshine	B1	2.2b
			(1)	
			(5	marks)
		NOTES	_	
(a)	B1:	For realising it is the maximum distance and distance given with correct unit	S.	
(b)	М1.	Allow 0 to 50dill $Ol < 500$ of the upper limit		
(0)	1911.	Attempt to find Q_3 and the upper finite 5100, if a value for the point is stated it must be above 5100 otherwise it is A	0 For a	
	Δ1·	statement comparing and conclusion it is an outlier or it is above $\Omega_2 + 15100$	2 Allow a	rcent
		the point circled is greater than 5100 oe		cept
(c)	B1:	For a suitable interpretation of a negative correlation mentioning humidity and	nd visibilit	v
		A correct deduction that the unlabelled variable is the hours of sunshine. Con	ndone miss	sing
		hours. Do not allow if more than one variable given.		0
	D1.	Must be quantative variable		
(u)	D1:	Not cloud cover since values bigger than 8		
		Not wind speed since values not integers		
		Not daily mean temperature since mean temperature near to zero are unlikely	y in June	
1				
1				
1				

www.yesterdaysmathsexam.com

Question		Scheme	Marks	AOs
3		Overall method	M1	2.1
		a+b=2c+0.5 oe or $a+b=2(1-a-b)$	B1	2.2a
		a+b+c=0.75 oe	B1	1.1b
		$3c = 0.25$ $\left[c = 0.0833 \text{ or } \frac{1}{12}\right]$	M1	1.1b
		P(scoring 2,4 or 4,2 or 3,3) = $2 \times "\frac{1}{12}" \times 0.15 + 0.1^2$	M1	3.1b
		= 0.035 oe	Alcso	1.1b
			(6)	
(6 mark				marks)
3	M1: A fully correct method with all the required steps. For gaining 2 correct equations with at least one correct(allow if unsimplified). Attempting to solve to find a value of <i>c</i> followed b correct method to find the probability			th at wed by
	B1: Forming a correct equation from the information given in the question			
	B1: A correct equation using the sum of the probabilities equals 1			
	M1: Correct method for solving 2 equations to find <i>c</i> Implied by $c = \frac{1}{12}$			
	M1: Recognising the ways to get a total of 6. Condone missing arrangements or repeats. Do not ignore extras written unless ignored in the calculation. May be implied by $m \times "\frac{1}{12}" \times 0.15 + n \times 0.1^2 \text{ where } m \text{ and } n \text{ are positive integers}$			Do not
	A1cso: Cao 0.035, $\frac{7}{200}$ oe			

Que	stion	Scheme	Marks	AOs
4(a)		It is not possible to have a sampling frame	B1	2.3
			(1)	
(b)	Quota sampling and (catch 85 common carp, 45 mirror carp and 30 leather carp) or (ignore any fish caught of a type where the quota is full)	M1	1.1a
		Quota sampling and catch 85 common carp, 45 mirror carp and 30 leather carp and ignore any fish caught of a type where the quota is full	A1	1.1b
			(2)	
(c)		$\sigma = \sqrt{\frac{3053}{160} - \left(\frac{692}{160}\right)^2}$	M1	1.1b
		= 0.6129 awrt 0.613	A1	1.1b
			(2)	
(d	l)(i)	This would have no effect as the piece of data would remain in the same class	B1	2.2a
	ii)	This would increase the standard deviation as change in mean is small and $6.4-4.6 \approx 3\sigma$ therefore estimate of standard deviation will increase	B1	2.2a
	""		(2)	
			(7	marks)
		Notes		
(a)	B1:	For the idea there cannot be a sampling frame/list		
(b)	M1:	Quota sampling and either for the correct numbers of each type or for the identified full ignore the fish.	dea that if	quota
	A1:	Quota sampling and both the correct numbers of each type and for the idea that if quota full ignore the fish or sample until all quotas are full		
(c)	M1:	A correct expression for σ		
	A1:	Awrt 0.613 allow $s = awrt 0.615$		
(d)	B1:	Correct deduction with suitable explanation Allow range for class.		

B1: Correct deduction with suitable explanation. so would increase the standard deviation and a suitable reason. Allow the value is bigger than any others in the table **oe**

Do not allow there is no differences

Que	stion	Scheme	Marks	AOs
5(a)		Let <i>C</i> = the number of successful calls. $C \square B\left(9, \frac{1}{6}\right)$	M1	3.3
		$P(C \ge 3) = 1 - P(C \le 2) = 0.1782$ awrt 0.178	A1	1.1b
			(2)	
((b)	Let X = the number of occasions when at least 3 calls are successful. $P(X = 1) = 5 \times ("0.1782") \times ("0.8217")^{4}$	M1	1.1b
		= 0.4061 awrt 0.406	A1	1.1b
			(2)	
(c)		$H_0: p = \frac{1}{6}$ $H_1: p > \frac{1}{6}$	B1	2.5
		Let <i>R</i> = the number of successful calls $R \square B\left(35, \frac{1}{6}\right)$	M1	3.3
		$P(R \ge 11) = 1 - P(R \le 10) = 0.02$	A1	3.4
		There is sufficient evidence to support that Rowan has more successful sales calls than Afrika.	A1	2.2b
			(4)	
		••	(8	marks)
	N /1	Notes		
5(a)	MI:	1: For selecting the right model		
	AI:	awrt 0.178		
(b)	M1:	For $5 \times ("\operatorname{their}(a)") \times ("1 - \operatorname{their}(a)")$		
	A1:	awrt 0.406		
(c)	B1:	for correctly stating both hypotheses in terms of p or π Accept $p = 0.16$		
	M1:	For selecting a suitable model. May be implied by a correct probability or CR		
	A1:	A1: Correct probability statement and answer of 0.02 or better (0.02318) (CR $R \ge 11$ and either P($R \le 9$) = 0.9450 or P($R \le 10$) = 0.9768 or 1 - P($R \le 10$) = 0.0232		
	A1:	Dependent on M1A1 but can ignore hypotheses. For conclusion in context supporting Rowan's belief / Rowan is a better sales person		
		Do not accept Rowan can reject H ₀		