



Pearson

Mark Scheme (Results)

November 2024

Pearson Edexcel GCSE
In Mathematics (1MA1)
Foundation (Calculator) Paper 3F

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2024

Question Paper Log Number P75161A

Publications Code 1MA1_3F_2411_MS

All the material in this publication is copyright

© Pearson Education Ltd 2024

General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- 1 All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.

Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.

- 2 All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

Questions where working is not required: In general, the correct answer should be given full marks.

Questions that specifically require working: In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

- 3 **Crossed out work**

This should be marked **unless** the candidate has replaced it with an alternative response.

- 4 **Choice of method**

If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.

If no answer appears on the answer line, mark both methods **then award the lower number of marks.**

- 5 **Incorrect method**

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.

- 6 **Follow through marks**

Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

7 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg. an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).

8 Probability

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

9 Linear equations

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

10 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and all numbers within the range.

11 Number in brackets after a calculation

Where there is a number in brackets after a calculation E.g. $2 \times 6 (=12)$ then the mark can be awarded **either** for the correct method, implied by the calculation **or** for the correct answer to the calculation.

12 Use of inverted commas

Some numbers in the mark scheme will appear inside inverted commas E.g. "12" $\times 50$; the number in inverted commas cannot be any number – it must come from a correct method or process but the candidate may make an arithmetic error in their working.

13 Word in square brackets

Where a word is used in square brackets E.g. [area] $\times 1.5$: the value used for [area] does **not** have to come from a correct method or process but is the value that the candidate believes is the area. If there are any constraints on the value that can be used, details will be given in the mark scheme.

14 Misread

If a candidate misreads a number from the question. Eg. uses 252 instead of 255; method or process marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review.

Guidance on the use of abbreviations within this mark scheme

M method mark awarded for a correct method or partial method

P process mark awarded for a correct process as part of a problem solving question

A accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)

C communication mark awarded for a fully correct statement(s) with no contradiction or ambiguity

B unconditional accuracy mark (no method needed)

oe or equivalent

cao correct answer only

ft follow through (when appropriate as per mark scheme)

sc special case

dep dependent (on a previous mark)

indep independent

awrt answer which rounds to

isw ignore subsequent working

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
1	700	B1		Accept 7 hundreds
2	16	B1	cao	
3	Any two correct 1, 2, 4, 8, 16	B1	two correct and no incorrect	Allow more than two factors but all must be correct
4	$-7, -3, 0, 4, 6$	B1	accept in reverse order eg 6, 4, 0, $-3, -7$	
5	1.5	B1	oe eg $\frac{3}{2}, 1\frac{1}{2}$	
6 (a)	5	B1	cao	
(b)	17	B1	cao	
(c)	8	B1	cao	
7 (a)	Trapezium	B1	cao	
(b)	Drawn	B1	for a right-angled triangle drawn	Allow $88 - 92^\circ$ for the right angle

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
8	49.9(0)	B1	for 49.9(0)	
	30	B1	for 30	
	417.31	B1	for 417.31, ft allow 367.41 + [their 49.9(0)] for this mark	
	(b)	M1	for a correct first step, eg $892.48 + 4.47 (= 896.95)$ or $892.48 + 240 (= 1132.48)$ or $892.48 - 365.5(0) (= 526.98)$ or $4.47 + 240 (= 244.47)$	To award B1ft, the total for tin of paint must not be blank or 0 May be seen embedded in other calculations eg $4.47 + 240 - 365.5(0)$
		M1	for a complete method, eg $892.48 + 4.47 + 240 - 365.5(0)$	
		A1	cao	
9	118	P1	for a correct first step, eg $200 \times 2 \div 5 (= 80)$ or $200 \times 3 \div 5 (= 120)$ or $1 - \frac{2}{5} \left(= \frac{3}{5} \right)$ oe eg $100 - 40 (= 60\%)$	
		P1	for a process to find the number of child vegetarians or number of child non-vegetarians, eg “80” $\times 0.35 (= 28)$ or “80” $\times (1 - 0.35) (= 52)$	
		P1	for a process to find the number of adult vegetarians or number of adult non-vegetarians, eg $(200 - “80”) \times 0.45 (= 54)$ or $(200 - “80”) \times (1 - 0.45) (= 66)$	
		P1	for a complete process to find the total number of non-vegetarians, eg $200 - “28” - “54”$ or (“80” - “28”) + $(200 - “80” - “54”)$ oe eg “52” + (“120” - “54”) or “80” $\times (1 - 0.35) + (200 - “80”) \times (1 - 0.45)$	
		A1	cao	Answer of $\frac{118}{200}$ is P4A0

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
10 (a)	19	B1	cao	
(b)(i)	08 11	P1	for a correct first step, eg $09\ 00 - 8$ (= 08 52) or for recognising which train he needs to get eg 08 17 or 08 45	
		P1	for a complete process to find the latest time he can leave his house, eg $08\ 17 - 6$	
		A1	allow 8:11(am)	
			Award SCB2 for an answer of 08 08 or 08 09 if P0 or P1 scored	
(b)(ii)	No effect	C1	ft, for 'no effect' oe eg 'the next train would make it too late to the meeting', allow 'he can leave later' oe if an earlier train was selected in (i)	Reason not required but if a reason is given and it contradicts the answer, award 0 marks

Paper: 1MA1/3F					
Question	Answer	Mark	Mark scheme	Additional guidance	
11	16	B1	cao	Allow a tolerance of one small square for the reading eg 10 km = 6 – 6.5 miles 20 km = 12.25 – 12.75 miles 25 km = 15.25 – 15.75 miles 30 km = 18.5 – 19 miles for miles to km allow 1 mile = 1.6 km 17 miles = 27 – 28 km	For ft, allow use of their stated conversions but they must be conversions that could have come from graph
	48	M1	for taking a suitable reading from the graph that could be used to convert, eg 25 km = 15.5 miles or 17 miles = 27.2 km		
		M1	ft, for a complete method, eg “15.5” \times 2 + 17 or (“27.2” + 50) \div 1.6		
		A1	for an answer in the range 47 – 49.5		
12	$6x + 7y$	M1	for $6x$ or $7y$ or a linear expression in the form $ax + by$ where $a, b > 0$	$T = 6x + 7y$ oe scores M1A0	
		A1	for $6x + 7y$ oe		

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
13	300	B1	(indep) for process to convert to common units, eg $3 \times 100 (= 300)$ or $1 \times 100 (= 100)$ or $1.5 \times 100 (= 150)$ or $20 \div 100 (= 0.2)$ or $10 \div 100 (= 0.1)$ or $75 \div 100 (= 0.75)$ or “4.5” $\times 100^3 (= 4\,500\,000)$ or “15 000” $\div 100^3 (= 0.015)$	This mark can be awarded at any stage One correct conversion for their process is enough for the award of this mark Working may be seen on the diagram
		P1	for finding the volume of either shape, eg $3 \times 1 \times 1.5 (= 4.5)$ or $[300] \times [100] \times [150] (= 4\,500\,000)$ or $20 \times 10 \times 75 (= 15\,000)$ or $[0.2] \times [0.1] \times [0.75] (= 0.015)$	$[300] = 3$ or 30 or “300” or 3000 $[100] = 1$ or 10 or “100” or 1000 $[150] = 1.5$ or 15 or “150” or 1500 $[0.2] = 20$ or 2 or “0.2” or 0.02 $[0.1] = 10$ or 1 or “0.1” or 0.01 $[0.75] = 75$ or 7.5 or “0.75” or 0.075
			OR for start of the process to find the number of boxes using one dimension, eg $[300] \div 20 (= 15)$ or $[100] \div 10 (= 10)$ or $[150] \div 75 (= 2)$ or $3 \div [0.2] (= 15)$ or $1 \div [0.1] (= 10)$ or $1.5 \div [0.75] (= 2)$	May be implied by correctly dividing the areas of the corresponding faces eg $\frac{[300] \times [100]}{20 \times 10}$
		P1	(dep on P1) for a complete process with or without unit conversion eg “4 500 000” \div “15 000” or “4.5” \div “0.015” or “15” \times “10” \times “2”	Condone an incorrect attempt to convert volume before division
		A1	cao	

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
14	324	P1	<p>for a process to work out daily pay on a weekday, eg $8 \times 6 (= 48)$</p> <p>or a process to work out the number of hours of pay for weekdays, eg $6 \times 5 (= 30)$</p> <p>or the number of hours of pay for Saturday and Sunday, eg $(4 + 3) \times 1.5 (= 10.5)$</p> <p>or a process to work out rate of pay for Saturday or Sunday, eg $8 \times 1.5 (= 12)$</p>	

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
15 (a)	9.9	M1	for starting process by multiplying ages by frequencies, with at least 3 correct, eg $8 \times 6, 9 \times 7, 10 \times 15, 11 \times 11, 12 \times 2$ or at least 3 of 48, 63, 150, 121, 24	May be seen next to table. 406 implies this mark
		M1	(dep on M1) for $\sum fx \div \sum f$, eg $406 \div 41$ or $406 \div (6 + 7 + 15 + 11 + 2)$ or $(8 \times 6 + 9 \times 7 + 10 \times 15 + 11 \times 11 + 12 \times 2) \div 41$	$\sum fx$ must come from 5 products
		A1	Answer in the range 9.9 to 9.91	If an answer is given in the range in working and then rounded incorrectly award full marks.
(b)	No, with explanation	C1	<p>No, with explanation,</p> <p>Acceptable examples</p> <p>No as the mode/modal age is 10</p> <p>No it should be 10 (not 15)</p> <p>No because 15 is the number of children that are age 10 (not age 15)</p> <p>No because there are no 15 year olds</p> <p>No because the frequency tells us the number of children for that age</p> <p>No he needs to give the age of the highest frequency</p> <p>Not acceptable examples</p> <p>No he is not, the modal is the one that occurs the most</p> <p>Yes / Rohan is correct</p> <p>No, the mode is 11</p>	

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
16	(a) $2 \times 3^2 \times 7$ (b) 42	M1 A1 M1 A1	<p>for a complete factor tree with no more than one arithmetic error or 2, 3, 3, 7</p> <p>accept $2 \times 3 \times 3 \times 7$</p> <p>for a complete factor tree for 210 (or 126 if not credited in part (a)) with no more than one arithmetic error</p> <p>or for listing factors of 126 or 210, at least 4 correct for either (with no more than 1 incorrect in either list), could be in factor pairs</p> <p>or for the prime factors of 210 (2, 3, 5, 7) (or 126 if not credited in part (a))</p> <p>accept $2 \times 3 \times 7$</p> <p>SCB1 for answer of 2 or 3 or 6 or 7 or 14 or 21 if M0 scored</p>	<p>Condone the inclusion of 1 for this mark</p> <p>Condone the inclusion of 1 for this mark</p> <p>1, 2, 3, 6, 7, 9, 14, 18, 21, 42, 63, 126 1, 2, 3, 5, 6, 7, 10, 14, 15, 21, 30, 35, 42, 70, 105, 210</p> <p>Prime factors may be seen in a diagram eg a Venn diagram</p>
17	Points plotted at (130, 12) (150, 28) (170, 30) (190, 22) (210, 8) and joined with line segments	B2 (B1)	<p>for correct plotting of 5 points and joining with line segments</p> <p>for points plotted correctly at midpoints</p> <p>or for a frequency polygon with one point incorrect</p> <p>or for a frequency polygon with first and last point joined directly</p> <p>or for joining the points with line segments at the correct heights consistent within intervals (including end points))</p>	<p>Ignore any histogram drawn Ignore any part of the frequency polygon outside of the range of the first and last point plotted.</p> <p>for example, at 120, 140, 160, 180, 200 or at 140, 160, 180, 200, 220</p>

Paper: 1MA1/3F					
Question	Answer	Mark	Mark scheme	Additional guidance	
18 (a)	340 200	B1	cao		
(b)	8.026×10^{-1}	B1	cao		
19	Drawn	B2 (B1)	for a correct construction with all relevant arcs drawn for all relevant arcs drawn or for a bisector within guidelines but with no or insufficient arcs)		
20 (a)	(0.3) 0.7 0.3 0.7 0.3 0.7	B2 (B1)	all probabilities correctly placed for 0.7 correctly placed for Game 1)	Accept equivalent fractions or percentages for probabilities	
(b)	0.49	M1 A1	for a correct method, ft their tree diagram eg 0.7×0.7 only oe, ft their tree diagram	ft their diagram provided probabilities are less than 1 An answer of $\frac{0.49}{1}$ scores M1A0 unless 0.49 seen	

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
21	45.6	P1	<p>for a process to start to work with the ratio, eg $240 \div (3 + 5) (= 30)$ or pens = $3n$ and pencils = $5n$ where n is a positive integer</p> <p>P1 for a complete process to find the number of pens and pencils, eg “30” \times 3 (= 90) and “30” \times 5 (= 150)</p> <p>OR for process to find one cost or amount to sell for one item eg [pens] \times 9 (= 810) or [pens] \times 11 (= 990) or [pencils] \times 6 (= 900) or [pencils] \times 10 (= 1500)</p> <p>OR for process to find the profit for one pen or one pencil eg $11 - 9 (= 2)$ or $10 - 6 (= 4)$</p> <p>P1 for a process to find the total cost to buy or the total amount to sell for both, eg [pens] \times 9 + [pencils] \times 6 (= 1710) or [pens] \times 11 + [pencils] \times 10 (= 2490)</p> <p>OR process to find the profit for one item eg [pens] \times 11 - [pens] \times 9 (= 180) or [pens] \times (11 - 9) (= 180) or [pencils] \times 10 - [pencils] \times 6 (= 600) or [pencils] \times (10 - 6) (= 600)</p> <p>P1 for a complete process to find the profit as a percentage or a decimal, eg $\frac{[2490] - [1710]}{[1710]} \times 100$ or $\frac{[2490] - [1710]}{[1710]} (= 0.456\dots)$ or for a process to find the amount to sell as a percentage of the cost eg $\frac{[2490]}{[1710]} \times 100 (= 145.6\dots)$</p> <p>A1 answer in the range 45.6 to 45.62</p>	<p>Can work in £ or pence but must be consistent, 90 or 150 imply P1 This mark can be awarded at any stage</p> <p>[pens] could be “30” \times 3 or their number of pens [pencils] could be “30” \times 5 or their number of pencils [pens], [pencils] \neq 1</p> <p>180 or 600 or 780 implies P3</p> <p>[pens] could be “30” \times 3 or their number of pens [pencils] could be “30” \times 5 or their number of pencils [pens], [pencils] \neq 1</p> <p>[2490] is their amount to sell for both pens and pencils [1710] is their cost of pens and pencils</p> <p>[2490] - [1710] may be [180] + [600]</p> <p>If an answer is given in the range in working and then rounded incorrectly award full marks. A correct answer with no supportive working gets 0 marks</p>

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
22	Comparison	B1 C1 B1 C1	<p>for correctly identifying the median of (School) A as 57</p> <p>(ft, dep on value for the median being stated) for making a correct comparison of <u>median</u> eg 'the median of (School) A is higher than the median of (School) B'</p> <p>for correctly identifying the range of (School) A as 49</p> <p>(ft, dep on value for the range being stated) for making a correct comparison of <u>range</u> eg 'the range of (School) A is higher than the range of (School) B'</p>	<p>If median for school B is stated in the comparison it must be correct</p> <p>If range for school B is stated in the comparison it must be correct</p>
23	10.2 and 10.3	B1 B1	<p>for 10.2 in the correct place</p> <p>for 10.3 in the correct place</p>	Accept 10.29 or 10.299(99...)
24	14.3	M1 A1	<p>for a correct statement for AB using trigonometry, eg $\tan 62 = \frac{AB}{7.6}$ or ($AB = 7.6 \times \tan 62$)</p> <p>answer in the range 14.28 to 14.3</p>	If an answer is given in the range in working and then rounded incorrectly award full marks

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
25 (a)	$14x^5y^6$	B2 (B1)	cao for correct simplification of two terms ax^5y^6 or $14x^b y^6$ or $14x^5 y^c$ where $a \neq 14, b \neq 5, c \neq 6$	Where a, x^b, y^c can be made up of two products Condone inclusion of multiplication signs for B1
(b)	m^{-6}	B1	for m^{-6} or $\frac{1}{m^6}$	
26	247.4(0)	M1 M1 A1	for a method to find the value of the investment or interest after 1 year, eg $4500 \times 1.018 (= 4581)$ or $4500 \times 0.018 (= 81)$ for a method to find the value of the investment after 3 years, eg $4500 \times 1.018^3 (= 4747.4...)$ or “4581” $\times 1.018 (= 4663.45...)$ and “4663.45...” $\times 1.018 (= 4747.4...)$ or 4747.39... accept 247.39 SCB1 for 243 or 4743 if M0 scored	May be seen in more than one calculation Award of this mark implies the first M1 Sight of 83.94... implies M2

Paper: 1MA1/3F				
Question	Answer	Mark	Mark scheme	Additional guidance
27	$y = -2x + 3$	M1 M1 A1	for a correct method to find the gradient of the line, eg $\frac{-1-3}{2-0} (= -2)$ or identifies 3 as the intercept in words or in a partial linear equation eg $y = mx + 3$ oe eg $y = 1.5x + 3$ or for $y = [-2]x + c$ or for $y - b = [-2](x - a)$ where (a, b) is a correct coordinate for $y = -2x (+ c)$ or for $y = “-2”x + 3, m \neq 0$ or for $(L =) -2x + 3$ or $y - y_1 = -2(x - x_1)$ or for $y - b = “-2”(x - a)$ where (a, b) is a correct coordinate for $y = -2x + 3$ oe	Just circling 3 is insufficient [-2] can be any numerical value, c must be seen as a letter or a number [-2] can be any numerical value Award of this mark implies the first M1 Any correct equation gets 3 marks

Modifications to the mark scheme for Modified Large Print (MLP) papers: 1MA1 3F

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme. Notes apply to both MLP papers and Braille papers unless otherwise stated.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: $\pm 5^\circ$

Measurements of length: ± 5 mm

PAPER: 1MA1_3F		
Question	Modification	Mark scheme notes
4	Wording changed: 'Write the following five numbers in order.'	Standard mark scheme
6	(a) Letter 'x' changed to 'p'.	Standard mark scheme
7	(a) Wording changed: 'Look at the diagram for Question 7(a) in the Diagram Booklet. It shows a quadrilateral on a grid.' Diagram enlarged. Shading changed.	Standard mark scheme
	(b) Wording added: 'Look at the diagram for Question 7(b) in the Diagram Booklet. It shows a blank grid.' Wording removed: 'below' For Braille: sentence added 'Bumpsons and drawing film are provided if you wish to use them.' Diagram enlarged.	Standard mark scheme
8	(a) Wording added: 'Look at the table for Question 8(a) in the Diagram Booklet. It shows an incomplete bill.' Wording changed: 'Her bill is shown in the Diagram Booklet.' For MLP: wording added 'There are three spaces to fill.' For Braille: wording changed 'Complete the missing information labelled (i) to (iii) in the bill.' Table enlarged.	Standard mark scheme
10	Wording changed: 'Look at the table for Question 10 in the Diagram Booklet. It shows part of a train timetable between Horwich and Manchester.' Table enlarged. Bolton row removed from the table. Last column removed from the table.	Standard mark scheme

PAPER: 1MA1_3F		
Question	Modification	Mark scheme notes
11	<p>Wording changed: 'Look at the diagram for Question 11 in the Diagram Booklet. It shows a graph which you can use to change between miles and kilometres.'</p> <p>Diagram enlarged.</p> <p>Graph changed to go from 0 to 9 on the horizontal axis and from 0 to 6 on the vertical axis.</p> <p>(a) Value '10' changed to '5'.</p> <p>(b) Value '50' changed to '12'. 'Staithes' changed to 'Filey'.</p>	<p>(a) B1 for 8 cao</p> <p>(b)</p> <p>M1 for taking a suitable reading from the graph that could be used to convert, eg $4\text{km} = 2.5\text{miles}$</p> <p>Allow the following ranges for the reading eg</p> <p>$1\text{km} = 0.5 - 0.75\text{miles}$ $2\text{km} = 1 - 1.5 \text{ miles}$ $3\text{km} = 1.625 - 2.125 \text{ miles}$ $4\text{km} = 2.25 - 2.75 \text{ miles}$ $6\text{km} = 3.5 - 4 \text{ miles}$ for miles to km allow $1 \text{ mile} = 1.6 \text{ km}$</p> <p>M1 for a complete process, eg "$2.5 \times 3 + 17$" or $(17 \times "1.6" + 12) \div "1.6"$</p> <p>A1 for answer in range 23 to 26</p>

PAPER: 1MA1_3F		
Question	Modification	Mark scheme notes
13	<p>Wording changed: 'Look at diagrams 1-6 for Question 13 in the Diagram Booklet. You may be provided with two models. They are NOT accurate. The models show a crate and a box. Diagram 1 shows a 3D view of the crate. Diagram 2 shows the front of the crate. Diagram 3 shows the side of the crate. Diagram 4 shows a 3D view of the box. Diagram 5 shows the front of the box. Diagram 6 shows the side of the box.'</p> <p>m changed to metres</p> <p>Diagrams enlarged. 2D views added.</p> <p>Models provided.</p>	Standard mark scheme
14	<p>Wording added: 'Look at the table for Question 14 in the Diagram Booklet.'</p> <p>Wording added: 'in the Diagram Booklet'</p> <p>Table turned vertically and enlarged.</p>	Standard mark scheme
15	<p>Wording changed: 'Look at the table for Question 15 in the Diagram Booklet. It ...'</p> <p>Table enlarged.</p>	Standard mark scheme
17	<p>Wording added: 'Look at the diagram for Question 17 in the Diagram Booklet. It shows a grid.'</p> <p>Wording added: 'below'</p> <p>Value '100' changed to '90'.</p> <p>Table enlarged and left aligned.</p> <p>Frequency values in the table changed from 12, 28, 30, 22, 8 to 10, 25, 30, 20, 5</p> <p>Wording changed from 'below' to 'in the Diagram Booklet'.</p> <p>For Braille: sentence added 'Bumpsons and drawing film are provided if you wish to use them.'</p> <p>Diagram enlarged. Open headed arrows.</p>	Standard mark scheme but points plotted at heights 10, 25, 30, 20, 5

PAPER: 1MA1_3F		
Question	Modification	Mark scheme notes
19	<p>Wording added: 'Look at the diagram for Question 19 in the Diagram Booklet. It shows angle ABC'</p> <p>Diagram enlarged. Diagram rotated so that BC is horizontal.</p> <p>For Braille: sentence added 'Drawing film is provided if you wish to use it.'</p>	Standard mark scheme
20	<p>Wording added: 'Look at the diagram for Question 20 in the Diagram Booklet. It shows an incomplete probability tree diagram.'</p> <p>For MLP: wording added 'in the Diagram Booklet. There are five spaces to fill.'</p> <p>For Braille: wording changed 'Complete the probability tree diagram by writing the missing values labelled (i) to (v).'</p> <p>Diagram enlarged.</p>	Standard mark scheme
21	p changed to pence	Standard mark scheme
22	<p>Wording changed: 'Look at the diagram for Question 22 in the Diagram Booklet. It is a stem and leaf diagram showing ...'</p> <p>Diagram enlarged. Horizontal line added at the bottom of the diagram.</p> <p>Key moved above and left of the diagram.</p>	Standard mark scheme
24	<p>Wording changed: 'Look at the diagram for Question 24 in the Diagram Booklet. It shows a right-angled triangle ABC</p> <p>$BC = 7.6 \text{ cm}$</p> <p>$\text{Angle } ACB = 62^\circ$</p> <p>$\text{Angle } ABC \text{ is a right angle.}$</p> <p>Diagram enlarged. Right angle made more obvious.</p> <p>Angle moved outside of the angle arc and angle arc made smaller.</p>	Standard mark scheme
27	<p>Wording changed: 'Look at the diagram for Question 27 in the Diagram Booklet. It shows line L drawn on a grid.'</p> <p>Diagram enlarged. Open headed arrows.</p>	Standard mark scheme

