



Mark Scheme (Results)

November 2023

Pearson Edexcel GCSE (9 – 1)
In Mathematics (1MA1)
Higher (Calculator) Paper 3H

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2023

Question Paper Log Number P69535A

Publications Code 1MA1_3H_2306_MS

All the material in this publication is copyright

© Pearson Education Ltd 2023

General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- 1** All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.
Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.
- 2** All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

Questions where working is not required: In general, the correct answer should be given full marks.

Questions that specifically require working: In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

- 3** **Crossed out work**
This should be marked **unless** the candidate has replaced it with an alternative response.
- 4** **Choice of method**
If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.
If no answer appears on the answer line, mark both methods **then award the lower number of marks.**
- 5** **Incorrect method**
If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.
- 6** **Follow through marks**
Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.
Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

7 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).
It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg. incorrect algebraic simplification).

8 Probability

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).
Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.
If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

9 Linear equations

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

10 Range of answers

Unless otherwise stated, when an answer is given as a range (eg 3.5 – 4.2) then this is inclusive of the end points (eg 3.5, 4.2) and all numbers within the range

11 Number in brackets after a calculation

Where there is a number in brackets after a calculation eg $2 \times 6 (=12)$ then the mark can be awarded **either** for the correct method, implied by the calculation **or** for the correct answer to the calculation.

12 Use of inverted commas

Some numbers in the mark scheme will appear inside inverted commas eg "12" \times 50 ; the number in inverted commas cannot be any number – it must come from a correct method or process but the candidate may make an arithmetic error in their working.

13 Word in square brackets

Where a word is used in square brackets eg [area] \times 1.5 : the value used for [area] does **not** have to come from a correct method or process but is the value that the candidate believes is the area. If there are any constraints on the value that can be used, details will be given in the mark scheme.

14 Misread

If a candidate misreads a number from the question. eg uses 252 instead of 255; method or process marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review.

Guidance on the use of abbreviations within this mark scheme

- M** method mark awarded for a correct method or partial method
- P** process mark awarded for a correct process as part of a problem solving question
- A** accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
- C** communication mark awarded for a fully correct statement(s) with no contradiction or ambiguity
- B** unconditional accuracy mark (no method needed)
- oe** or equivalent
- cao** correct answer only
- ft** follow through (when appropriate as per mark scheme)
- sc** special case
- dep** dependent (on a previous mark)
- indep** independent
- awrt** answer which rounds to
- isw** ignore subsequent working

Paper: 1MA1/3H																	
Question	Answer	Mark	Mark scheme	Additional guidance													
1 (a)	4.68×10^5	B1	cao														
(b)	0.000 503 7	B1	cao														
2	80	M1	for complete method, eg 200×0.4 or for $\frac{80}{200}$ for the answer														
		A1	cao														
3 (a)	24.6	M1	for finding 5 products within intervals (including end points) with not more than one error, may be seen near table. eg $2 \times 12.5 (= 25)$, $8 \times 17.5 (= 140)$, $13 \times 22.5 (= 292.5)$, $21 \times 27.5 (= 577.5)$, $6 \times 32.5 (= 195)$ or for 1230	<table border="1"> <tr> <th>Min $\sum fx$</th> <th>Max $\sum fx$</th> </tr> <tr> <td>20</td> <td>30</td> </tr> <tr> <td>120</td> <td>160</td> </tr> <tr> <td>260</td> <td>325</td> </tr> <tr> <td>525</td> <td>630</td> </tr> <tr> <td>180</td> <td>210</td> </tr> </table>	Min $\sum fx$	Max $\sum fx$	20	30	120	160	260	325	525	630	180	210	
Min $\sum fx$	Max $\sum fx$																
20	30																
120	160																
260	325																
525	630																
180	210																
		M1	for $\sum fx \div \sum f$ eg $(25 + 140 + 292.5 + 577.5 + 195) \div 50$ or $1230 \div 50$	$\sum fx$ must come from 5 products, fx within intervals (including end points)													
		A1	for 24.6 oe														

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
(b)	No, with reason	C1	<p>for No and reason</p> <p>Acceptable examples</p> <p>No, the median is in the interval $25 < T \leq 30$ No, the median is in the group containing the 25(.5)th temperature No, she did not take into account frequency No, the frequencies are not the same for each group.</p> <p>Not acceptable examples</p> <p>No, the median is 27.5 No, the median is higher than 22.5 $25 < T \leq 30$ Yes, ...</p>	Any incorrect statement as part of a correct response can be ignored unless it contradicts the statement.
4 (a)	Explanations	C2	<p>for two different correct explanations</p> <p>Acceptable examples</p> <p>She should have a solid/full/shaded/coloured circle at 4 It does not show that x could be equal to 4 She should have marked/drawn a (clear/empty) circle at -3 The line should be drawn to -3 Jenna started from -2 not -3</p> <p>Not acceptable examples</p> <p>Both circles should be black One circle should be filled in (needs to say which circle) She shouldn't have to reach number 4 Jenna has made no mistakes</p> <p>for one correct mistake described)</p>	Any incorrect statement as part of a correct response can be ignored unless it contradicts the statement,

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
(b)	4	M1	for a correct first step, eg for adding 7 to both sides $5y - 7 + 7 < 16 + 7$ or for dividing throughout by 5 eg $\frac{5y}{5} - \frac{7}{5} < \frac{16}{5}$ or for showing 4.6 (oe) as the critical value or for $5 \times 4 - 7$ with 13 seen as answer	Allow use of any inequality or as an equation for the first mark Award 1 mark for 4.6 oe, eg $y = \frac{23}{5}$ or $y < 4.6$
		A1	for 4 or $y = 4$ with no incorrect working	An answer of 4 from incorrect working can score 1 mark at most.
5	4 packs and 5 boxes,	P1	for start of a process to find common multiples of 30 and 24, eg writes down at least 3 multiples of 30 and at least 3 multiples of 24 or draws factor trees for both 30 and 24 with no more than 1 error in total or draws a correct Venn diagram	30, 60, 90, 120, 150, 180, 210, 240 ... 24, 48, 72, 96, 120, 144, 168, 192, 216, 240, ... Condone the inclusion of 1 in factor trees or Venn diagrams for this mark
		P1	for identifying a common multiple eg 120 or 240 or $5 \times 3 \times 2 \times 2 \times 2$ oe	May use any common multiple, 120, 240, 360...
		A1	for 4 packs and 5 boxes or any multiple of this pairing eg 8, 10	Award 0 marks for a correct answer without correct supportive working.

Paper: 1MA1/3H					
Question	Answer	Mark	Mark scheme	Additional guidance	
6	20	M1 A1	for $30 \times 4 \div 6$ oe cao		
7	7 hours 56 minutes	P1 P1 A1	for process to begin to work with speed, eg $143 \div 55 (= 2.6)$ for process to work in minutes, eg “2.6” \times 60 (= 156 mins) and $5 \times 60 + 20 (= 320$ mins) or for 476 (mins) or for process to work in hours eg “2.6” and $5\frac{20}{60} (= 5.33\dots)$...or for 7.93... or for process to work in hours and minutes, eg “2” + (“0.6” \times 60) (= 2 hrs 36 mins) cao	May work in minutes or hours and minutes Accept 2 or more decimal places for this mark	
8	Shown	M1 M1 C1	for substitution to find area of face, eg $3.5 = \frac{504}{\text{area}}$ or $3.5 \times \text{area} = 504$ or $\text{area} = 504 \div 3.5 (= 144)$ or for working from surface area eg $900 \div 6 (= 150)$ for method to find comparable figures, eg “144” \times 6 (= 864) or “150” \times 3.5 (= 525) or $504 \div “150” (= 3.36\dots)$ or for $504 \div 3.5 (= 144)$ and $900 \div 6 (= 150)$ or for $900 \div 144 (= 6.25)$ and 6 for correct comparable figures, eg 864 (and 900) or 144 and 150 or 525 (and 504) or 3.36... (and 3.5) or 6.25 and 6	Other equivalent methods should be credited accordingly Condone incorrect units given.	

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
9	$y = -2x + 3$	M1 M1 A1	for a correct method to find the gradient of the line, eg $\frac{-1-3}{2-0} (= -2)$ or uses 3 as the intercept in $y = mx + c$, eg $y = mx + 3$ oe, $y = 1.5x + 3$ for $y = [-2]x + c, c \neq 0$ or for (L=) $3 - 2x$ or uses their gradient and a point on the line, eg $y - -1 = [-2](x - 2)$ for $y = -2x + 3$ oe	[-2] must be identifiable as their gradient Any correct equation gets 3 marks
10	$m = \frac{5(k-p)}{2}$	M1 M1 A1	for a correct first step, eg $k - p = \frac{2m}{5}$ or $5k = 5p + 2m$ or $\frac{k}{2} = \frac{p}{2} + \frac{m}{5}$ for a correct statement isolating $2m$, $-2m$, $\frac{m}{5}$ or $-\frac{m}{5}$ eg $5(k-p) = 2m$ or $5k - 5p = 2m$ or $\frac{m}{5} = \frac{k}{2} - \frac{p}{2}$ for $m = \frac{5(k-p)}{2}$ oe	Steps must be carried out not just intention seen Accept statements with m on the right hand side, eg $\frac{5(k-p)}{2} = m$

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
11	12	P1	for process of working with area scale factor, eg area SF = 50^2 (= 2500) or 0.5×0.5 (= 0.25) or $48 \times 50 \times 50$ (= 120 000) or for process which uses $1 \text{ (m}^2\text{)} = 10\,000 \text{ (cm}^2\text{)}$, eg $\frac{48}{10\,000}$ for complete process, eg $\frac{120\,000}{100 \times 100}$ or “0.25” \times 48 A1 cao	
12	246	P1	for start of process to find angle inside sector eg $\frac{x}{360} \times \pi \times 6.2^2 = 82.6$ or $\frac{82.6}{\pi \times 6.2^2} \times 360$ or for an answer in the range 113 to 114 A1 for answer in range 246 to 247	The size of the angle in the unshaded sector is 114 If an answer is shown in the range in working and then incorrectly rounded award full marks.

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
13 (a)	$\frac{6}{80}$	M1	for correct method using the graph at 90 cm, eg $80 - 74 (= 6)$	Accept $80 - 75 (= 5)$
		A1	for $\frac{6}{80}$ oe, accept $\frac{5}{80}$ oe	Accept any equivalent fraction, decimal (0.075) or percentage (7.5%)
	(b)	B1	for answer in the range $58.5 - 61.5$	
	(c)	M1	for $UQ = 75$ or $LQ = 40$	Allow UQ in range 74 to 76 Allow LQ in range 39 to 41 Value(s) may be seen on graph
(d)	Comparison made	A1	for answers in the range 34 to 36 or ft acceptable readings from the graph	
		C1	(ft) for a correct comparison of the IQRs eg the heights of the plants grown outside are more varied or the IQR of the plants grown outside is 35 cm but the IQR of the plants grown inside is only 30 cm.	The comparison must include some context (eg refers to heights or cm) Ignore any additional information provided there is no contradiction. Figures need not be seen but if given they must be correct.
14	$2n^2 + 3$	M1	for a correct start to a method to find the n th term eg constant 2nd differences of 4 and the term $2n^2$ or states $an^2 + bn + c$ (where bn may be missing) and $2a = 4$ or gives the sequence 2, 8, 18, ... A1 oe	Need to see constant second difference found and $2n^2$ Condone use of different variable throughout

Paper: 1MA1/3H														
Question	Answer	Mark	Mark scheme	Additional guidance										
15	Shown	M1 C1	<p>for method to find comparable ratios eg $(21.6 + 58.4) \div 32 (= 2.5)$ and $(32 + 22) \div 21.6 (= 2.5)$</p> <p>or $32 \div (21.6 + 58.4) (= 0.4)$ and $21.6 \div (32 + 22) (= 0.4)$</p> <p>or $21.6 \div 32 (= 0.675)$ and $(32 + 22) \div (21.6 + 58.4) (= 0.675)$</p> <p>or $32 \div 21.6 (= 1.48\dot{1})$ and $(21.6 + 58.4) \div (32 + 22) (= 1.48\dot{1})$</p> <p>for correct conclusion supported by the correct evaluation of 2 ratios to show they are equal</p>	<p>Fractions may be used.</p> <p>Accept 3 sf or more.</p> <p>We do not require reference to the common angle.</p>										
16	$\frac{1}{120}$	P1 P1 A1	<p>for correctly identifying at least two of the number of options, eg 2 options for 1st digit, 4 options for 2nd digit</p> <p>for process to multiply the four numbers of options with at least three correct, eg $2 \times 4 \times 3 \times 5 (= 120)$</p> <p>or</p> <p>for process to multiply 4 fractions with at least 3 correct $\frac{1}{2} \times \frac{1}{4} \times \frac{1}{3} \times \frac{1}{5}$ oe</p> <p>for $\frac{1}{120}$ oe</p>	<p>May be seen as part of a calculation</p> <table border="1"> <thead> <tr> <th>Position of digit</th><th>Number of options</th></tr> </thead> <tbody> <tr> <td>1st</td><td>2</td></tr> <tr> <td>2nd</td><td>4</td></tr> <tr> <td>3rd</td><td>3</td></tr> <tr> <td>4th</td><td>5</td></tr> </tbody> </table>	Position of digit	Number of options	1st	2	2nd	4	3rd	3	4th	5
Position of digit	Number of options													
1st	2													
2nd	4													
3rd	3													
4th	5													


Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
17 (a)(i)	$(x - 4)^2 - 13$	M1	for start to method of completing the square, eg $(x - 4)^2...$	
(ii)	$(4, -13)$	A1 B1	cao ft from answer of form $(x - a)^2 - b$	This mark is dependent on a completed square form given in (a)(i)
(b)	0.449 and -1.59	M1 M1 A1	for substitution into quadratic formula, eg $\frac{-8 \pm \sqrt{8^2 - 4 \times 7 \times -5}}{2 \times 7}$ oe for simplification to $\frac{-8 \pm \sqrt{204}}{14}$ or $\frac{-4 \pm \sqrt{51}}{7}$ oe or for one correct solution in decimal form. for 0.448 to 0.449 and -1.59 to $-1.6(0)$	Condone one sign error One correct solution in the required form out of two solutions given scores 2 marks. If an answer is shown in the range in working and then incorrectly rounded award full marks.
(c)	Explanation	C1	for explanation Acceptable He hasn't considered the coefficient of 3 He forgot about the 3 The answer $x = 2$ should be $x = \frac{2}{3}$ The first bracket was not $k - 2$ $k = 2$ is wrong, he should have divided by 3 Not acceptable One of the answers is wrong The solutions are not correct He should have written $3(k - 2)(k + 4)$ The $3k$ should not be inside the bracket 2 added to -4 does not give 10 $k = 2$ is wrong	

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
18 (a)	Triangle drawn	B2	for correct enlargement at $(7, -10)$ $(4, -4)$ $(7, -4)$	
		(B1)	for triangle of correct size and orientation in the wrong position or for 2 vertices correct)	
(b)	Correct vector	C1	for $\begin{pmatrix} -5 \\ 7 \end{pmatrix}$ or $\begin{pmatrix} -7 \\ 9 \end{pmatrix}$ or $\begin{pmatrix} -3 \\ 13 \end{pmatrix}$	Label not necessary provided intention is clear
19	2030	P1	for process to find diameter of base of small cone, eg 16 seen as diameter or 8 seen as radius or for scale factor (length) is $\frac{2}{3}$ oe or $\frac{3}{2}$ oe	
		P1	for process to find the volume of one cone, eg $\frac{1}{3} \times \pi \times 12^2 \times 15$ ($= 720\pi$ or 2261.946...) or $\frac{1}{3} \times \pi \times "8"^2 \times 10$ ($= \frac{640}{3}\pi$ or 670.206...) or for process to find the volume of the hemisphere, eg $\frac{2}{3} \times \pi \times 12^3$ ($= 1152\pi$ or 3619.114...)	
		P1	or for scale factor (volume) is $\left(\frac{2}{3}\right)^3$ oe	
		A1	for full process to find volume of frustum and hemisphere, eg "2261.946..." - "670.206..." ($= \frac{1520}{3}\pi$ or 1591.740...) or "2261.946..." $\times \left(1 - \left(\frac{2}{3}\right)^3\right)$ and $(\frac{4}{3} \times \pi \times 12^3) \div 2$ oe ($= 1152\pi$ or 3619.114...) for answer in the range 2026 to 2030	If an answer is shown in the range in working and then incorrectly rounded award full marks.

Paper: 1MA1/3H					
Question	Answer	Mark	Mark scheme	Additional guidance	
20	(a) (4, 6) (b) Sketch	B1 B2 (B1)	cao for a fully correct sketch including points (2, 6), (-2, -4), (6, -4) for a correct sketch of $f(-x)$ or $f(x) + 3$ including the maximum point and the endpoints)	see end of mark scheme	
21	27	M1 M1 A1 C1	for start by finding one missing angle, eg angle $CBD = 35$ or angle $ADC = 90$ or angle $ACE = 117$ for making progress by finding a second angle, eg angle $BDE = 117$ or angle $DCE = 62$ or angle $BCA = 63$ for angle $BDC = 27$ (dep on M1) for stating one correct circle theorem used eg <u>Angles in a semicircle are 90</u> or <u>Angles in the same segment are equal</u> or <u>Angles at the circumference subtended from the same arc of a circle are equal</u> or The <u>angle at the centre of a circle is twice the angle at the circumference</u>	Angles clearly identified on the diagram or in the working space may be awarded marks provided there is no ambiguity or contradiction. Underlined words need to be shown; circle theorems stated need to be linked to their method, which can be implied from correctly identified angles (stated or written on the diagram).	

Paper: 1MA1/3H					
Question	Answer	Mark	Mark scheme	Additional guidance	
22	(£)9.37(9...) and conclusion	B1 P1 P1 C1	<p>for stating at least one bound 187.5 or 192.5 or 192.499... or 872.5 or 877.5 or 877.499... or 71.5 or 72.5 or 72.499...</p> <p>for correct use of LB and UB find the lower bound for profit, eg [LB of selling price] – [UB of costs] (= 872.5 – 192.5 (= 680))</p> <p>(dep P1) for correct use of LB and UB to find the lower bound for hourly rate, eg [LB of profit] ÷ [UB of hours]</p> <p>for (£)9.37(9...) and conclusion that Ebony does earn more than minimum wage with value from working with correct bounds</p>	<p>May be seen in calculations Accept 192.499... or 192.49 or 877.499... or 877.49 or 72.499... or 72.49</p> <p>$872.5 \leq [\text{LB selling price}] < 875$ $190 < [\text{UB costs}] \leq 192.5$</p> <p>LB profit = “680” $72 < [\text{UB hours}] \leq 72.5$</p> <p>$\frac{872.5 - 192.5}{72.5}$ Accept bounds truncated or rounded to at least 2 dp</p>	
23	3 : 5	P1 P1 P1 A1	<p>for process to eliminate fractions, eg $11(2x^2 + y^2) = 43(4x^2 - y^2)$ or $22x^2 + 11y^2 = 172x^2 - 43y^2$</p> <p>for process to isolate terms in x^2 and y^2, eg $54y^2 = 150x^2$ or $y^2 = \frac{25x^2}{9}$</p> <p>for full process to find a correct relationship between x and y eg $y = \frac{5x}{3}$ oe</p> <p>cao</p>	<p>Alternative methods are acceptable</p> <p>Accept square roots, eg $\sqrt{54}$ but not decimal approximations.</p>	

Paper: 1MA1/3H				
Question	Answer	Mark	Mark scheme	Additional guidance
24	12.2	P1	for process to find AP , eg $\frac{5}{7} \times 14.7 (= 10.5)$ or for showing the required angle on a diagram eg with an arc	Check diagram for working
		P1	for process to find MP , eg $\sqrt{10.5^2 + 1.9^2}$ oe ($= 10.6\dots$) or for a process to find TP , eg $\sqrt{10.5^2 + 1.9^2 + 2.3^2}$ oe ($= 10.9\dots$)	
		P1	for using appropriate trigonometry ratio to find angle TPM , eg $\tan TPM = \frac{2.3}{10.6\dots}$ or $\sin TPM = \frac{2.3}{10.9\dots}$ or $\cos TPM = \frac{10.6\dots}{10.9\dots}$	
		A1	for answer in the range 12.1 to 12.2	If an answer is shown in the range in working and then incorrectly rounded award full marks.



Modifications to the mark scheme for Modified Large Print (MLP) papers: 1MA1 3H

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme. Notes apply to both MLP papers and Braille papers unless otherwise stated.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: $\pm 5^\circ$

Measurements of length: ± 5 mm

PAPER: 1MA1_3H		
Question	Modification	Mark scheme notes
2	Wording added 'Look at the diagram for Question 2 in the Diagram Booklet. It shows'. Wording removed 'Here is'. Spike removed. Spinner straightened up. Centre dot added. Spinner enlarged. Wording added 'below'. Table turned vertically, enlarged and left aligned.	Standard mark scheme
3	Wording added 'Look at the table for Question 3 in the Diagram Booklet.' Wording added 'in the Diagram Booklet'. Table enlarged.	Standard mark scheme
4	Wording added 'Look at the diagram for Question 4 in the Diagram Booklet. It shows a number line.' Wording 'a' removed and replaced with 'the'. Wording 'Here is her answer' removed and replaced with 'Her answer is shown in the Diagram Booklet.' Diagram enlarged. Open headed arrows.	Standard mark scheme
8	Wording added 'Look at the diagram for Question 8 in the Diagram Booklet. You may be provided with a model. They show'. Wording removed 'The diagram shows'. Diagram enlarged. Table added to the diagram. Frame removed from the formula.	Standard mark scheme
9	Wording added 'Look at the diagram for Question 9 in the Diagram Booklet. It shows'. Wording removed 'is shown'. Wording 'the' removed and replaced with 'a'. Axis labels moved to the top of the vertical axis and to the right of the horizontal axis. Diagram enlarged. Open headed arrows. L label moved up.	Standard mark scheme

PAPER: 1MA1_3H		
Question	Modification	Mark scheme notes
12	<p>Wording added 'Look at the diagram for Question 12 in the Diagram Booklet. It'.</p> <p>Wording removed 'The diagram'. Diagram enlarged. Shading changed.</p> <p>Angle moved outside of the angle arc and angle arc made smaller.</p> <p>Radius label moved to the left. Wording added 'PO = OQ = 6.2 cm An angle is marked on the diagram.'</p>	Standard mark scheme
13	<p>Wording added 'Look at the diagram for Question 13 in the Diagram Booklet. It is a cumulative frequency graph.' Wording added 'in the Diagram Booklet'.</p> <p>Diagram enlarged. Grid lines changes on the grid to go up in increments of 20 on the x axis.</p> <p>Graph line changed to go through the points, (0,0), (40, 20), (50, 30), (60, 40), (70, 50), (80, 60), (90, 70), and (130, 80).</p> <p>Open headed arrows. Axis labels moved to the top of the vertical axis and to the left of the horizontal axis.</p> <p>Right axis labelled.</p>	(a) M1 for a correct method eg 80 – 70 (= 10) A1 for 10/80 or 1/8 or 0.125 or 12.5% (b) B1 for 60 (no tolerance) (c) M1 for $UQ=80$ or $LQ=40$ A1 for 40 (d) standard mark scheme using their figures for "40"
15	<p>Wording added 'Look at the diagram for Question 15 in the Diagram Booklet. It'.</p> <p>Wording removed 'The diagram'. Wording added 'BD = 22 cm</p> <p>DA = 32 cm AE = 21.6 cm EC = 58.4 cm' Diagram enlarged.</p>	Standard mark scheme
16	<p>Wording removed 'The diagram shows'. Wording added 'is shown below.'</p> <p>Numbers left aligned and circles removed.</p>	Standard mark scheme
18	<p>(a) Wording added 'Look at the diagram for Question 18(a) in the Diagram Booklet. It shows triangle P and triangle Q on a grid.' Triangle P moved. Triangle Q added to the diagram. Diagram enlarged. Shading changed.</p> <p>Triangles labelled 'triangle P' and 'triangle Q'.</p> <p>Axis labels moved to the top of the vertical axis and to the right of the horizontal axis.</p> <p>Grid cut at $x = 7$. Cut out shapes provided.</p> <p>Wording removed 'Enlarge triangle P by a scale factor $-1\frac{1}{2}$ with centre of enlargement (-2, 1)'.</p> <p>Wording added 'Describe the single transformation that maps triangle P onto triangle Q. Two cut out shapes may be available if you wish to use them.'</p>	B2 for all three aspects: enlargement, scale factor $-1\frac{1}{2}$, centre (-2, 0) (B1 for two aspects) Award B0 for more than one transformation described.

PAPER: 1MA1_3H			
Question		Modification	Mark scheme notes
18	(b)	<p>Wording added 'Look at the diagram for Question 18(b) in the Diagram Booklet. It shows triangle P and triangle R on a grid.' Wording removed 'a combined transformation of'.</p> <p>Wording 'followed by a translation to give triangle R.' removed and replaced with 'to give triangle R. Triangle R is then translated.' Wording added 'A cut out shape is provided if you wish to use it.'</p> <p>Diagram repeated from part (a) but with triangle P and triangle R only. Shading changed.</p> <p>Triangles labelled 'triangle P' and 'triangle R'. Diagram enlarged.</p> <p>Axis labels moved to the top of the vertical axis and to the right of the horizontal axis.</p> <p>Grid cut at $x = 7$. Cut out shape provided.</p>	
19		<p>Wording added 'Look at the diagrams for Question 19 in the Diagram Booklet. You may be provided with three models for this question and an additional two formulae models.'</p> <p>Diagrams added to show 2D view of frustum F and solid S. Diagrams enlarged.</p> <p>Small cone labelled on diagrams 1 and 2. Dashed lines made longer and thicker. Open headed arrows.</p> <p>Labels moved to the left. Frame removed from the formulae.</p> <p>Wording changed to 'The frustum F of a cone is made by removing a small cone with height 10 cm from a larger solid cone with height 15 cm and base diameter 24 cm as shown by Diagram 1, Diagram 2 and the models.</p> <p>Diagram 3 and Diagram 4 show the solid S made by removing the frustum F from a solid hemisphere.'</p>	
20	(b)	<p>Wording added 'Look at the diagram for Question 20(b) in the Diagram Booklet. It shows'.</p> <p>Wording 'is shown on the grid' removed and replaced with 'on a grid'. Diagram enlarged.</p> <p>Axis labels moved to the top of the vertical axis and to the right of the horizontal axis.</p> <p>Wording added 'in the Diagram Booklet'. Grid cut at $x=8$.</p>	
21		<p>Wording added 'Look at the diagram for Question 21 in the Diagram Booklet. It shows'.</p> <p>Wording removed 'are'. Diagram enlarged.</p> <p>Angles moved outside of the angle arcs and angle arcs made smaller.</p> <p>Wording added 'Angle DAC = 35° Angle AEB = 28°'</p>	
22		<p>Wording added 'Look at the information for Question 22 in the Diagram Booklet.'</p> <p>Information moved to the Diagram Booklet.</p> <p>Wording added 'Use the information shown in the Diagram Booklet.'</p>	

PAPER: 1MA1_3H		
Question	Modification	Mark scheme notes
24	<p>Wording added 'Look at the Diagram 1 and Diagram 2 for Question 24 in the Diagram Booklet. You may be provided with a model. Diagram 1 and the model show'. Wording removed 'The diagram shows'.</p> <p>Wording added 'Diagram 2 shows face TAD of the triangular prism.'</p> <p>Diagram enlarged. Diagram added to show face TAD. Dashed lines made longer and thicker.</p> <p>Point P added on the diagram. Angle arc for TPM added. Side lengths added to the diagram.</p> <p>Wording 'AB = 14.7 cm' and 'BC= 3.8 cm' removed and replaced with 'AB = DC = 14.7 cm' and 'DA = BC = 3.8 cm'.</p> <p>Dotted lines added for PT and PM.</p>	Standard mark scheme

