

Please check the examination details below before entering your candidate information

Candidate surname

Other names

Centre Number

Candidate Number

--	--	--	--	--

--	--	--	--	--

Pearson Edexcel Level 3 GCE**Thursday 18 May 2023**

Afternoon (Time: 2 hours)

Paper
reference**8MA0/01****Mathematics****Advanced Subsidiary****PAPER 1: Pure Mathematics****You must have:**

Mathematical Formulae and Statistical Tables (Green), calculator

Total Marks

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- You should show sufficient working to make your methods clear.
- Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 17 questions in this question paper. The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.

Turn over ►

P72839A

©2023 Pearson Education Ltd.
N:1/1/1/1/1/

Pearson

1. A curve has equation

$$y = \frac{2}{3}x^3 - \frac{7}{2}x^2 - 4x + 5$$

(a) Find $\frac{dy}{dx}$ writing your answer in simplest form. (2)

(b) Hence find the range of values of x for which y is decreasing. (4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



3.




Figure 1

Figure 1 is a sketch showing the position of three phone masts, *A*, *B* and *C*.

The masts are identical and their bases are assumed to lie in the same horizontal plane.

From mast *C*

- mast *A* is 8.2 km away on a bearing of 072°
- mast *B* is 15.6 km away on a bearing of 039°

(a) Find the distance between masts *A* and *B*, giving your answer in km to one decimal place.

(3)

An engineer needs to travel from mast *A* to mast *B*.

(b) Give a reason why the answer to part (a) is unlikely to be an accurate value for the distance the engineer travels.

(1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



4. (a) Sketch the curve with equation

$$y = \frac{k}{x} \quad x \neq 0$$

where k is a positive constant.

(2)

- (b) Hence or otherwise, solve

$$\frac{16}{x} \leq 2$$

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 4 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Ruled area for student answers with horizontal lines.

(Total for Question 4 is 5 marks)



P 7 2 8 3 9 A 0 9 4 4

5. In this question you must show all stages of your working.
Solutions relying on calculator technology are not acceptable.




Figure 2

The finite region R , shown shaded in Figure 2, is bounded by the curve with equation $y = 4x^2 + 3$, the y -axis and the line with equation $y = 23$

Show that the exact area of R is $k\sqrt{5}$ where k is a rational constant to be found.

(5)

DO NOT WRITE IN THIS AREA



Question 6 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 6 is 5 marks)



7. The distance a particular car can travel in a journey starting with a full tank of fuel was investigated.

- From a full tank of fuel, 40 litres remained in the car’s fuel tank after the car had travelled 80 km
- From a full tank of fuel, 25 litres remained in the car’s fuel tank after the car had travelled 200 km

Using a **linear model**, with V litres being the volume of fuel remaining in the car’s fuel tank and d km being the distance the car had travelled,

(a) find an equation linking V with d . (4)

Given that, on a particular journey

- the fuel tank of the car was initially full
- the car continued until it ran out of fuel

find, according to the model,

(b) (i) the initial volume of fuel that was in the fuel tank of the car,
(ii) the distance that the car travelled on this journey. (3)

In fact the car travelled 320 km on this journey.

(c) Evaluate the model in light of this information. (1)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 7 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 7 is 8 marks)



8.




Figure 3

Figure 3 shows a sketch of a curve C and a straight line l .

Given that

- C has equation $y = f(x)$ where $f(x)$ is a quadratic expression in x
- C cuts the x -axis at 0 and 6
- l cuts the y -axis at 60 and intersects C at the point $(10, 80)$

use inequalities to define the region R shown shaded in Figure 3.

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



9. Using the laws of logarithms, solve the equation

$$2\log_5(3x - 2) - \log_5 x = 2$$

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 9 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

(Total for Question 9 is 5 marks)



10.




Figure 4

The line l_1 has equation $y = \frac{3}{5}x + 6$

The line l_2 is perpendicular to l_1 and passes through the point $B(8,0)$, as shown in the sketch in Figure 4.

(a) Show that an equation for line l_2 is

$$5x + 3y = 40 \tag{3}$$

Given that

- lines l_1 and l_2 intersect at the point C
- line l_1 crosses the x -axis at the point A

(b) find the exact area of triangle ABC , giving your answer as a fully simplified fraction in the form $\frac{p}{q}$ (5)

DO NOT WRITE IN THIS AREA



DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 10 continued

Ruled lines for writing.



P 7 2 8 3 9 A 0 2 1 4 4

Question 10 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Handwritten area with horizontal lines for writing.

(Total for Question 10 is 8 marks)



P 7 2 8 3 9 A 0 2 3 4 4

12. In this question you must show detailed reasoning.

Solutions relying entirely on calculator technology are not acceptable.

(a) Show that the equation

$$4 \tan x = 5 \cos x$$

can be written as

$$5 \sin^2 x + 4 \sin x - 5 = 0 \tag{3}$$

(b) Hence solve, for $0 < x \leq 360^\circ$

$$4 \tan x = 5 \cos x$$

giving your answers to one decimal place.

(4)

(c) Hence find the **number of solutions** of the equation

$$4 \tan 3x = 5 \cos 3x$$

in the interval $0 < x \leq 1800^\circ$, explaining briefly the reason for your answer.

(2)

Handwritten solution area consisting of multiple horizontal lines.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 12 continued

Lined writing area for the answer to Question 12.

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 7 2 8 3 9 A 0 2 7 4 4

Question 12 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

A large rectangular area with rounded corners, containing 28 horizontal lines for writing. The lines are evenly spaced and extend across the width of the page.



13. Relative to a fixed origin O

- point A has position vector $10\mathbf{i} - 3\mathbf{j}$
- point B has position vector $-8\mathbf{i} + 9\mathbf{j}$
- point C has position vector $-2\mathbf{i} + p\mathbf{j}$ where p is a constant

(a) Find \vec{AB} (2)

(b) Find $|\vec{AB}|$ giving your answer as a fully simplified surd. (2)

Given that points A , B and C lie on a straight line,

- (c) (i) find the value of p ,
- (ii) state the ratio of the area of triangle AOC to the area of triangle AOB . (3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 13 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Lined area for writing the answer to Question 13.



P 7 2 8 3 9 A 0 3 1 4 4

Question 13 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



14. Find, in simplest form, the coefficient of x^5 in the expansion of

$$(5 + 8x^2) \left(3 - \frac{1}{2}x \right)^6 \quad (5)$$

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



15.

In this question you must show detailed reasoning.

Solutions relying on calculator technology are not acceptable.

The curve C_1 has equation $y = 8 - 10x + 6x^2 - x^3$

The curve C_2 has equation $y = x^2 - 12x + 14$

(a) Verify that when $x = 1$ the curves C_1 and C_2 intersect.

(2)

The curves also intersect when $x = k$.

Given that $k < 0$

(b) use algebra to find the exact value of k .

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 15 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Lined area for writing answers.



16. A curve has equation $y = f(x)$, $x \geq 0$

Given that

- $f'(x) = 4x + a\sqrt{x} + b$, where a and b are constants
- the curve has a stationary point at $(4,3)$
- the curve meets the y -axis at -5

find $f(x)$, giving your answer in simplest form.

(6)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 17 continued

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



Question 17 continued

(Total for Question 17 is 5 marks)

TOTAL FOR PAPER IS 100 MARKS

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

